FIBRE CONCRETE PRODUCT NOTE:


1. REFER TO GENERAL TOLERANCES UNO
2. 40MPa FIBRE REINFORCED CONCRETE (FIBRECON MP47@5Kg/M3)

ALL LIFTING POINTS TO BE USED WHEN LIFTING
MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPa


AT THE TIME OF LIFTING

COVER TO REINFORCEMENT TO BE 50mm REFER TO ANCON LIFTING ARRANGEMENT PLAN

REFER TO DRAWING [50201628-PRO] FOR REO ARRANGEMENT




PLAN VIEW



UP TO 1000mm

±5mm


TOLERANCE:



END VIEW

478.02Kg





ISOMETRIC VIEW

ELEVATION VIEW INTED

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE
 INCONJUCTION / ACCORDANCE WITH
 AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE
 GENERAL TOLERANCE SUPERCEEDS THE
 FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED
 IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED
 OTHERWISE

OTHERWISE
DIMENSIONS ARE NOT INCLUSIVE OF
SEALANTS OF JOINTS
SURFACE FINISH - CLASS 4 (AS3610.1)

VA	ATION VIEW IN TED						
3							CHK / APPR: CA
2							DATE:
1							
Rev.	DESCRIPTION			DATE	BY	APPROVED	RPEQ DOCUMENT #:
GENERAL TOLERANCES			REVISION CONTROL				
NOM	TNAI ·		-	FLAT	MECC: (NOT THOSE	DINIC PRODUCE FINITELLY	WEIGHT:

1M AND ABOVE

1mm IN 200mm UP TO A MAXIMUM OF 20mm

CONCRETE 40MPA ±4mm PER 1M WIDTH IN 1M LENGTH



CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741 91 STRADBROKE STREET HEATHWOOD, QLD 4110 (07) 3714 0444 (07) 3714 0444

A CRH COMPANY

AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS. THE INFORMATION DISCLOSED IN

AFTED DATE:	PART/PRODUCT #	QUOTE #	ORDER #		
8/01/2021	50201628				
AFTED BY:	REINFORCEMENT COMPUTATION	PIT #	ITEM TYPE		
TE LAST SAVED:	CLIENT				
8/01/2021					
ST SAVED BY:	PROJECT DESC				
CHAO	PIT CONCRETE 445x445x810x100mm CLASS D				
⊕ F-7	DRAWING NAME 450X450X810 PIT. FLECTRICAL				

DRAWING # 50201628 1 / 1 А3 1:10