**GENERAL NOTES:** 

CONCRETE GRADE TO BE 50 MPA MINIMUM

DESIGN LIFE OF 50 YEARS

MINIMUM EXPOSURE CLASSIFICATION - B2 MINIMUM COVER TO REINFORCEMENT - 40mm

DESIGN LIFE OF 100 YEARS

MINIMUM EXPOSURE CLASSIFICATION - B1 MINIMUM COVER TO REINFORCEMENT - 40mm


DESIGN CAPACITY OF PITS WITH CLASS L REINFORCEMENT

HAS BEEN REDUCED 20%


ALLOWABLE SOIL BEARING PRESSURE IS 100KPA


TOP REBATE TO SUIT RISER SHALL BE ACCORDING TO THE


PIT ASSEMBLY DRAWINGS



## **VIC / 300LA & CLASS D /** CORBEL WITH REBATE 1100x1000x230 / UP TO 4m DEPTH







**ISSUED FOR CONSTRUCTION** 

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE
 INCONJUCTION / ACCORDANCE WITH
 AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE
 GENERAL TOLERANCE SUPERCEEDS THE
 FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED
 IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED
 OTHERWISE

OTHERWISE
DIMENSIONS ARE NOT INCLUSIVE OF
SEALANTS OF JOINTS
SURFACE FINISH - CLASS 4 (AS3610.1)

	3	3								CHK / APPR: C DATE:	
IE	2										
	1										
-	Rev. DE	SCR	IPTION			DATE		BY	APPROVED	RPEQ DOCUME	NT #:
)	GENE	RAL	TOLERANCES	REVISION CONTROL							
D	NOMINA	NOMINAL: UP TO 1000mm 1M AND ABO					FLATN	TNESS: (NOT INCLUDING BROOME FINISH)		WEIGHT:	460Kg
	TOLERA	NCE.	OF 10 1000111111			±4mm PER 1M WIDT		M WIDTH	MATERIAL:	CONCRETE 50MPA	
	TOLLINA	VCL.	±5mm	1mm IN 200mm UF A MAXIMUM OF 20r						IRF REF:	CONCRETE SOFTIA



MLEE

30/06/2020 REINFORCEMENT COMPUTATION MLEE 24/08/2020 LAST SAVED BY CORBEL (VIC - 300LA & CLASS D) ⊕ = ∃ ENGINEERING COMPUTATION DRAWING # 50202661 1 / 1 A3 1:10