CONCRETE NOTE:

REFER TO GENERAL TOLERANCES UNO

STEEL & FIBRE REINFORCED CONCRETE - 40MPA

ALL LIFTING POINTS TO BE USED WHEN LIFTING


MINIMUM STRENGTH OF CONCRETE SHALL BE

25MPA AT THE TIME OF LIFTING


5. REFER TO BVCI-INS-C-001 (STD INSTALLATION


GUIDE) FOR INSTALLATION DETAILS

6. REFER TO ANCON LIFTING ARRANGEMENT PLAN









C.All

MS GR-250 GALV

ITEM #

2


QTY.

1

4

PART #

50201274




BOM:50201626

DESCRIPTION

FOOT ANCHOR ZP 1.3Tx65mm

(0)

50201626 PIT CONCRETE 450x450x600x100mm REBATE STORM WATER CLASS D



TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

SEALANTS OF JOINTS SURFACE FINISH - CLASS 4 (AS3610.1)

							C.7 (II
2							DATE:
1							28/05/2018
Rev DESCI	DESCRIPTION			Ē	BY	APPROVED	RPEQ DOCUMENT #:
GENERAL TOLERANCES REVISION CONTROL							
NOMINAL:	UP TO 1000mm	1M AND AB	OVE	FLATNESS: (NOT INCLUDING BROOME FINISH)		WEIGHT: 1	
TOLERANCE:	±5mm	1mm IN 200mi A MAXIMUM O		±4mm PER 1M WIDTH IN 1M LENGTH		MS GR-2	

1065.21Kg

CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741 2 STRADBROKE STREET

HEATHWOOD, QLD 411 (07) 3714 0444

nbradic

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS

PROJECT:

15/02/2016 CUBIS SYSTEMS CATALOGUE DRAFTED BY: STORMWATER RANGE CONCRETE SERIES DATE LAST SAVED 9/09/2022 AST SAVED BY:

PIT CONCRETE 450x450x600x100mm REBATE STORM WATER CLASS D

50201626 PROJECT / CATALOGUE CODE

1:10 | A3 1/1

WEIGHT

1065.21

0