




- CONCRETE NOTE:**
1. REFER TO GENERAL TOLERANCES UNO
  2. GRADE OF CONCRETE - 40MPa
  3. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPa AT THE TIME OF LIFTING




PLAN VIEW



ISOMETRIC VIEW



ELEVATION VIEW



END VIEW

- TOLERANCE NOTES:**
1. CONCRETE TOLERANCES TO BE INCONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
  2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE
  3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
  4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
  5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
  6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				
GENERAL TOLERANCES		REVISION CONTROL		
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)	
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH	

CHK / APPR:	CA
DATE:	27/09/2019
RPEQ DOCUMENT #:	
WEIGHT:	15Kg
MATERIAL:	CONCRETE 40MPa



HEAD OFFICE:  
CARNHAM ROAD  
BALLARAT, VIC 3351  
(03) 5335 8741

ENGINEERING & DEVELOPMENT:  
2 STRADBROKE STREET  
HEATHWOOD, QLD 4110  
(07) 3714 0444

DRAFTED DATE:	20/09/2019
DRAFTED BY:	YJ SHAN
DATE LAST SAVED:	27/09/2019
LAST SAVED BY:	ChanakaA
DRAWN TO AS 1100 DO NOT SCALE FROM SHEET	

PROJECT: CUBIS SYSTEMS CATALOGUE CONCRETE COVER P2 TELSTRA CLASS A				REV
NAME: CONCRETE COVER P2 TELSTRA CLASS A				0
DRAWING No: 521145				
PROJECT / CATALOGUE CODE: 521145	PAGE: 1 / 1	SHEET: A3	SCALE UNO: 1:5	