




2. COLOUR - PMS 414



## PLAN VIEW



**ELEVATION VIEW** 



 $\emptyset$ 30 CLEAR  $\overline{\lor}$  9 (RFID LOCATION)

BOTTOM VIEW

## UNCONTROLLED DOCUMENT WHEN PRINTED

TOLERANCE NOTES: 1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH								CHK / APPR:			HEAD OFFICE: CARNGHAM ROAD BALLARAT, VIC 3351	
AS3600 - CONCRETE STRUCTURES 2. WHEN A BROOME FINISH IS REQUIRED								]			(03) 5335 8741	
THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE	Rev DESCRIPTION				DATE:	BY:	ECO#:	RPEQ DOCUMENT #:		CUDIC	ENGINEERING & DEVELOPMENT: 2 STRADBROKE STREET	
3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY	GENERAL TOLERANCES									CORIZ	HEATHWOOD, QLD 41	
4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE	NOMINAL:	UP TO 1000mm	1M A	ND ABOVE	FLAT	FLATNESS: (NOT INCLUDING BROOME FINISH) ±4mm PER 1M WIDTH		WEIGHT:	18Kg		(07) 3714 0444	
5. DIMENSIONS ARE NOT INCLUSIVE OF	TOLERANCE:				<u>ты </u> +			MATERIAL:	BMC	THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL A NOT WITHOUT THE EXPRESS CONSENT OF CURIS SYSTEMS AUSTRALIA 1		
6. SURFACE FINISH - CLASS 4 (AS3610.1)		±5mm	1mm IN 200mm UP TO A MA OF 20mm			IN 1M LENGTH		SURFACE TREATMENT:	-	COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AN		





**ISOMETRIC VIEW** 

