



## UNCONTROLLED DOCUMENT WHEN PRINTED

UNCONTROLLED DOCUPIL	INI VVI									
TOLERANCE NOTES: 1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES								CHK / APPR: CHANAKA ABEYSINGHE DATE:		HEAD OFFICE: CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741
2. WHEN A BROOME FINISH IS REQUIRED	Rev DESCR	RIPTION		<u></u>	DATE:	BY:	ECO#:	RPEQ DOCUMENT #:		ENGINEERING & DEVELOPMENT: 2 STRADBROKE STREET
NOTED IS MINIMUM THICKNESS ONLY	GENERAL TOLERANCES								HEATHWOOD, QLD 411	
4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE	NOMINAL:	UP TO 1000mm	1M .	AND ABOVE	FLAT	FLATNESS: (NOT INCLUDING BROOME FINISH)		WEIGHT: 25Kg		(07) 3714 0444
5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS 6. SURFACE FINISH - CLASS 4 (AS3610.1)	TOLERANCE:		1mm IN 200n	nm UP TO A MAXIMU OF 20mm	JM ±2	±4mm PER 1M WIDTH		SURFACE TREATMENT:	CONCRETE 40MPA	