CONCRETE PRODUCT NOTE:


1. REFER TO GENERAL TOLERANCES UNO

GRADE OF CONCRETE - 40MPA


COVER TO REINFORCEMENT TO BE 50mm

4. CONCRETE VOLUME $(M^3) = [0.016]$

			BOM:50201455	BOM:50201455		
ITEM #	QTY.	PART#	DESCRIPTION	MATERIAL	VOLUME	
1	1	50201265	CONCRETE 40Mpa	CONCRETE 40MPa	0.016	
2	1	50201191	REO CONCRETE COVER P5&6	MS GR-250		
3	2	50201206	PLATE COVER LIFTING HOLE ZP	MS GR-250		







±5mm

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

6. SURFACE FINISH - CLASS 4 (AS3610.1)

2 Rev. DESCRIPTION DATE APPROVED REVISION CONTROL **GENERAL TOLERANCES** FLATNESS: (NOT INCLUDING BROOME FINISH) NOMINAL: UP TO 1000mm 1M AND ABOVE ±4mm PER 1M WIDTH 1mm IN 200mm UP TO A MAXIMUM OF 20mm TOLERANCE:

IN 1M LENGTH

CHK / APPR chanaka Abeysingl е RPEQ DOCUMENT #: 39Kg CONCRETE 40MPA

CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741 91 STRADBROKE STREET HEATHWOOD, QLD 4110 (07) 3714 0444 A CRH COMPANY

AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS. THE INFORMATION DISCLOSED IN

DRAFTED DATE:	PART/PRODUCT #	QUOTE #	ORDER #			
15/09/2020	50201455					
DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #	ITEM TYPE			
A.CHAO			COVER			
DATE LAST SAVED:	CLIENT	•	<u>'</u>			
28/10/2021	CUBIS SYSTEMS/AUSPITS					
AST SAVED BY:	PROJECT DESC					
NBRADIC	CUBIS SYSTEMS - CATALO	GUE PRODUCTS	S			
⊕ []	AX S TM P6 COVER CONCRETE VICTRACK COMMS CLASS A					
DRAWN TO AS 1100	DRAWING # PAGE	SHEET SIZE SCAL	.E			

50201455

1/1 A3 1:5