
CONCRETE PRODUCT NOTE:

REFER TO GENERAL TOLERANCES UNO GRADE OF CONCRETE - 40MPA

COVER TO REINFORCEMENT TO BE 50mm CONCRETE VOLUME (M³) = [0.016]

BOM:50201466							
ITEM #	QTY.	PART#	DESCRIPTION	MATERIAL	VOLUME		
1	1	50201265	CONCRETE 40Mpa	CONCRETE 40MPa	0.016		
2	1	50201191	REO CONCRETE COVER P5&6	MS GR-250			
3	2	50201206	PLATE COVER LIFTING HOLE ZP	MS GR-250			








END VIEW

ISOMETRIC VIEW



ELEVATION VIEW

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

6. SURFACE FINISH - CLASS 4 (AS3610.1)

2 Rev. DESCRIPTION DATE BY APPROVED REVISION CONTROL **GENERAL TOLERANCES** FLATNESS: (NOT INCLUDING BROOME FINISH)

UP TO 1000mm 1M AND ABOVE ±4mm PER 1M WIDTH 1mm IN 200mm UP TO A MAXIMUM OF 20mm TOLERANCE: IN 1M LENGTH ±5mm



CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741 91 STRADBROKE STREET HEATHWOOD, QLD 4110 (07) 3714 0444

A CRH COMPANY

AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS. THE INFORMATION DISCLOSED IN

DRAFTED DATE:	PART/PRODUCT #	QUOTE #	ORDER #			
02/08/2021	50201466					
DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #	ITEM TYPE			
R.PATERNO			COVER			
DATE LAST SAVED:	CLIENT					
2/08/2021	CUBIS SYSTEMS/AUSPITS					
LAST SAVED BY:	PROJECT DESC					
RPATERNO	CUBIS SYSTEMS - CATALOGUE PRODUCTS					
(1)	AX S TM P6 COVER CONCRETE UECOMM CLASS A					
DRAWN TO AS 1100	DRAWING #	PAGE SHEET SIZE	SCALE			
DO NOT SCALE FROM SHEET	50201466	1 / 1 A3	1:5			