



| BOM:50201516_PIT CONCRETE 1000x1000x1200x90mm NO FLOOR CLASS D |      |          |                                 |                |        |
|--|------|----------|---------------------------------|----------------|--------|
| ITEM #   | QTY. | PART #   | DESCRIPTION                     | MATERIAL       | VOLUME |
| 1  | 1    | 50201039 | CONCRETE FIBRE 40MPA            | CONCRETE 40MPa | 0.45   |
| 2  | 8    | 50203920 | UNISTRUT FM1000CI GALV 600mm    | CONCRETE 40MPa |        |
| 3  | 4    | 50201048 | FERRULE ZP M12x50 C/W 10mm HOLE | MS GR250 ZINC  |        |
| 4  | 4    | 50201156 | FOOT ANCHOR ZP 2.5Tx55mm        | MS GR-250 GALV |        |




PLAN VIEW




SOUTH FACE

4X2.5T 55 FOOT ANCHOR



EAST FACE



ISOMETRIC VIEW

UNCONTROLLED DOCUMENT WHEN PRINTED

|  |                    |   |                                      |   |                   |  |                                    |   |                           |         |            |       |                      |
|--|--------------------|---|--------------------------------------|---|-------------------|--|------------------------------------|---|---------------------------|---------|------------|-------|----------------------|
| <b>TOLERANCE NOTES:</b><br>1. CONCRETE TOLERANCES TO BE INCONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES<br>2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE<br>3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY<br>4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE<br>5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS<br>6. SURFACE FINISH - CLASS 4 (AS3610.1) | 3                  | REVISION UPDATED  |                                      |   | CHK / APPR:<br>CA | <div>Infrastructure<br/>Products Australia</div> <div>A CRH COMPANY</div> <div>HEAD OFFICE:<br/>1 REEVES COURT<br/>BREAKWATER, VIC 3219<br/>1800 065 356</div> <div>ENGINEERING &amp; DEVELOPMENT:<br/>91 STRADBROKE STREET<br/>HEATHWOOD, QLD 4110<br/>(07) 3714 0444</div> | DRAFTED DATE:<br>20/10/2015        | PART/PRODUCT #<br>50201516  | QUOTE #                   | ORDER # |            |       |                      |
|  | 2                  | NOTES UPDATED   |                                      |   |                   |  | DATE:<br>02/05/2018                | DRAFTED BY:   | REINFORCEMENT COMPUTATION | PIT #   | ITEM TYPE  |       |                      |
|  | 1                  | UPDATED LOCATION OF DRAIN HOLE TO BOTTOM CORNER OF NORTH FACE |                                      |   | RPEQ DOCUMENT #:  |  | DATE LAST SAVED:<br>1/07/2022      | CLIENT<br>CUBIS SYSTEMS/AUSPITS                                   |                           |         |            |       |                      |
|  | Rev.               | DESCRIPTION   | DATE                                 | BY                                      | APPROVED          |  | LAST SAVED BY:<br>RPATERN0         | PROJECT DESC<br>PIT CONCRETE 1000x1000x1200x90mm NO FLOOR CLASS D |                           |         |            |       |                      |
|  | GENERAL TOLERANCES |   |                                      |   | REVISION CONTROL  |  | DRAWING NAME<br>1000x1000x1200 PIT |   |                           |         |            |       |                      |
|  | NOMINAL:           | UP TO 1000mm  | 1M AND ABOVE                         | FLATNESS: (NOT INCLUDING BROOME FINISH) |                   |  | WEIGHT:<br>1097.87Kg               | DRAWING #   |                           | PAGE    | SHEET SIZE | SCALE | REV.<br><div>A</div> |
|  | TOLERANCE:         | ±5mm  | 1mm IN 200mm UP TO A MAXIMUM OF 20mm | ±4mm PER 1M WIDTH IN 1M LENGTH          |                   |  | MATERIAL:<br>CONCRETE 40MPA        | 50201516  |                           | 1 / 1   | A3         | 1:20  |                      |