



PLAN VIEW




ISOMETRIC VIEW

2x1.3T LIFTING ANCHOR



END VIEW



50mm DRAIN

4x Ø 150 ∇ 55
4x Ø 65 ∇ 10
TYP ALL FACES


ELEVATION VIEW

UNCONTROLLED DOCUMENT WHEN PRINTED

- TOLERANCE NOTES:**
1. CONCRETE TOLERANCES TO BE IN CONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE
 2. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
 3. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
 4. SURFACE FINISH - CLASS 4 (AS3610.1)

| Rev | DESCRIPTION | DATE: | BY: | ECO#: | | | | | | | | | | | | |
|---|--------------|--------------------------------------|---|-------|--------------------|--|------------------|--|----------|--------------|--------------|---|------------|------|--------------------------------------|--------------------------------|
| <table border="1"> <tr> <th colspan="2">GENERAL TOLERANCES</th> <th colspan="2">REVISION CONTROL</th> </tr> <tr> <td>NOMINAL:</td> <td>UP TO 1000mm</td> <td>1M AND ABOVE</td> <td>FLATNESS: (NOT INCLUDING BROOME FINISH)</td> </tr> <tr> <td>TOLERANCE:</td> <td>±5mm</td> <td>1mm IN 200mm UP TO A MAXIMUM OF 20mm</td> <td>±4mm PER 1M WIDTH IN 1M LENGTH</td> </tr> </table> | | | | | GENERAL TOLERANCES | | REVISION CONTROL | | NOMINAL: | UP TO 1000mm | 1M AND ABOVE | FLATNESS: (NOT INCLUDING BROOME FINISH) | TOLERANCE: | ±5mm | 1mm IN 200mm UP TO A MAXIMUM OF 20mm | ±4mm PER 1M WIDTH IN 1M LENGTH |
| GENERAL TOLERANCES | | REVISION CONTROL | | | | | | | | | | | | | | |
| NOMINAL: | UP TO 1000mm | 1M AND ABOVE | FLATNESS: (NOT INCLUDING BROOME FINISH) | | | | | | | | | | | | | |
| TOLERANCE: | ±5mm | 1mm IN 200mm UP TO A MAXIMUM OF 20mm | ±4mm PER 1M WIDTH IN 1M LENGTH | | | | | | | | | | | | | |

| | |
|--------------------|----------------------|
| CHK / APPR: | CA |
| DATE: | 19/09/2018 |
| RPEQ DOCUMENT #: | |
| WEIGHT: | 1184.60Kg |
| MATERIAL: | CONCRETE FIBRE 40MPa |
| SURFACE TREATMENT: | |



HEAD OFFICE:
CARNGHAM ROAD
BALLARAT, VIC 3351
(03) 5335 8741

ENGINEERING & DEVELOPMENT:
2 STRADBROKE STREET
HEATHWOOD, QLD 4110
(07) 3714 0444

| | | | | |
|---|-------------------------|------------------|--------------------------|-------------|
| PROJECT DESCRIPTION: | | | | |
| CUBIS SYSTEMS AUSTRALIA CATALOGUE PRODUCTS | | | | |
| DRAWING NAME: PIT CONCRETE 900x900x900x100mm CLASS D | | | | |
| DRAWN TO AS 1100 DO NOT SCALE FROM SHEET | DRAWING No: 50201549 | REV: A | | |
| SHEET: A3 | PAGE: 1/1 | SCALE UNO: 1:20 | DRAFTED DATE: 24/01/2020 | DRAFTED BY: |

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.