



CONCRETE NOTE:
 1. REFER TO GENERAL TOLERANCES UNO
 2. GRADE OF CONCRETE - CONCRETE 40MPa
 3. ALL LIFTING POINTS TO BE USED WHEN LIFTING
 4. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPa AT THE TIME OF LIFTING
 5. REFER TO CUBIS SYSTEMS_PRECAST INSTALLATION GUIDE_2019 FOR INSTALLATION DETAILS
 6. REFER TO ANCON LIFTING ARRANGEMENT PLAN

BOM:50201727 PRO_


ITEM #	QTY.	EPICOR NUMBER	DESCRIPTION	MATERIAL	VOLUME
1	1	50201727	RISER CONCRETE 300mm TO SUIT 1100x900 PIT C1/911/C5	CONCRETE 40MPa	0.28
2	8	50201105	FERRULE ZP M12x50 WITH 65x50 REO	MIXED REINFORCEMENT STEEL	
3	2	50202447	CATCH BOX TO SUIT SL1 AND SL2	MS GR-250	
4	4	50201041	EYE ANCHOR ZP 1.3Tx65mm	MS GR250 GALVANISED	




PLAN VIEW



ELEVATION VIEW



ISOMETRIC VIEW



END VIEW

UNCONTROLLED DOCUMENT

TOLERANCE NOTES:
 1. CONCRETE TOLERANCES TO BE INCONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
 2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE
 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
 4. CONCRETE GRADE - 40MPa UNLESS NOTED OTHERWISE
 5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
 6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				

GENERAL TOLERANCES		REVISION CONTROL	
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH

CHK / APPR:	CA
DATE:	11/05/2018
RPEQ DOCUMENT #:	
WEIGHT:	674.72Kg
MATERIAL:	CONCRETE 40MPa
IRF REF:	

WWW.CUBIS-SYSTEMS.COM.AU
 HEAD OFFICE:
 1 REEVES COURT
 BREAKWATER, VIC. 3219
 T: 1800 065 356
 QLD
 91 STRADBROKE STREET
 HEATHWOOD, QLD 4110
 NSW
 182 ANDREWS ROAD
 PENRITH, NSW 2750

CUBIS SYSTEMS
 A CRH COMPANY

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS

AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

DRAFTED DATE:	11/05/2018
DRAFTED BY:	
DATE LAST SAVED:	2/12/2021
LAST SAVED BY:	NBRADIC
DRAWN TO AS 1100 DO NOT SCALE FROM SHEET	

PART/PRODUCT #	50201727	QUOTE #		ORDER #	
REINFORCEMENT COMPUTATION		PIT #		ITEM TYPE	
CLIENT	CUBIS SYSTEMS/AUSPITS				
PROJECT DESC					
DRAWING NAME	RISER CONCRETE 300mm TO SUIT 1100x900 PIT C1/911/C5				
DRAWING #	50201727 PRO	PAGE	1 / 1	SHEET SIZE	A3
SCALE	1:10	REV.	A		