


CONCRETE PRODUCT NOTE:


- 1. REFER TO GENERAL TOLERANCES UNO
- 2. REFER TO DRAWING SP20-002-02-01 GENERAL ARRANGEMENT
- 3. GRADE OF CONCRETE - 40MPa
- 4. ALL LIFTING POINTS TO BE USED WHEN LIFTING
- 5. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPa AT THE TIME OF LIFTING
- 6. COVER TO REINFORCEMENT TO BE 50mm
- 7. REFER TO ANCON LIFTING ARRANGEMENT PLAN
- 8. REFER TO DRAWING NO. 50201059-PRO FOR PIT REINFORCEMENT DETAILS

BOM _ SP20-002-02-01-PRO


ITEM #	QTY.	PART #	DESCRIPTION	VOLUME	MATERIAL
1	1	50201039	CONCRETE 40Mpa FIBRE MIX MP47 ES401	0.33	CONCRETE FIBRE 40MPa
2	2	50201040	CATCH BOX SL1		MS GR-250 GALV
3	4	50201041	EYE ANCHOR ZP 1.3Tx65mm	0	MS GR250 GALVANISED
4	8	50201105	FERRULE ZP M12x50 WITH 65x50 REO		MS GR250 ZINC
5	8	50202464	UNISTRUT ZP 300mm	0	BHP 300+




PLAN VIEW




ISOMETRIC VIEW




FACE 4
NO ENTRIES



FACE 1



FACE 2



FACE 3

TOLERANCE NOTES:

- 1. CONCRETE TOLERANCES TO BE INCONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE
- 2. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
- 3. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
- 4. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	ECO #
GENERAL TOLERANCES				
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)	
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH	

CHK / APPR:	CHANAKAA
DATE:	13-01-2020
RPEQ DOCUMENT #:	
WEIGHT:	833.99Kg
MATERIAL:	CONCRETE FIBRE 40MPa
SURFACE TREATMENT:	



HEAD OFFICE:
CARNHAM ROAD
BALLARAT, VIC 3351
(03) 5335 8741

ENGINEERING & DEVELOPMENT:
2 STRADBROKE STREET
HEATHWOOD, QLD 4110
(07) 3714 0444

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

PROJECT DESCRIPTION:			
ICON ACT COMMUNICATION PITS INTRAVISION PTY LTD			
DRAWING NAME:			
BELLTOP 911 FLOORLESS PIT			
DRAWN TO AS 1100 DO NOT SCALE FROM SHEET	DRAWING No:	SCALE UNO:	DRAFTED DATE:
	SP20-002-02-01	1:20	13/01/2020
SHEET:	PAGE:	DRAFTED BY:	REV:
A3	1/1	V.NGUYEN	0