



UNCONTROLLED DOCUMENT WHEN PRINTED

10LERANCE NOTES: 1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES 2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE 1. Rev. DESCRIPTION 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA UNU FSS NOTED MOMINAL: FLATNESS: (NOT INCLUDING BROOME FINISH) MALL THICKNESS ONLY MOMINAL: MINIMUM THICKNESS ANDTED <th></th>		
1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES 2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA LINUESS NOTED	TED DATE:	
AS3600 - CONCRETE STRUCTURES 2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA UNLESS NOTED	06/2022	
AS3600 - CONCRETE STRUCTURES 2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA UNLESS NOTED	TED BY:	
GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA LINUESS NOTED	DAMS	
FLATNESS TOLERANCE 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA UNUESS NOTED NOMINAL:	LAST SAVED:	
3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA UNLESS NOTED MOMINAL: 4. CRH COMPANY MEIGHT: KO	06/2022	
IS MINIMUM THICKNESS ONLY 4 CONCRETE GRADE - 40MPA LINESS NOTED NOMINAL: FLATNESS: (NOT INCLUDING BROOME FINISH) WEIGHT: KO	SAVED BY:	
FLATNESS: (NOT INCLUDING BROOME FINISH) (WEIGHT:		
	1	
5. DIMENSIONS ARE NOT INCLUSIVE OF	₩N TO AS 110	
SEALANTS OF JOINTS INCLUDE THE INTERNET IN THE DECEMBER OF JOINTS IN THE DECEMBER OF JOINTS IN THE DECEMBER OF JOINTS	D NOT SCALE	
$\begin{bmatrix} 6. & \text{SURFACE FINISH - CLASS 4 (AS3610.1)} \end{bmatrix} = \begin{bmatrix} \pm 5 \text{fill} \\ \pm 5 \text{fill} \end{bmatrix} A \text{ MAXIMUM OF 20mm} \end{bmatrix} \begin{bmatrix} \text{IN IM LLINGTH} \\ \pm \text{IN IM LLINGTH} \end{bmatrix} \begin{bmatrix} \text{Reference} \\ \pm \text{IN IM LLINGTH} \end{bmatrix} \begin{bmatrix} 1800 \ 065 \ 356 \end{bmatrix} \begin{bmatrix} 07 \\ 07 \end{bmatrix} 3714 \ 0444 \end{bmatrix} \begin{bmatrix} 90 \\ 444 \end{bmatrix} \begin{bmatrix} 90 \\ 80 \end{bmatrix} \begin{bmatrix} 10 \\ 10 \end{bmatrix} $	FROM SHEET	