

## UNCONTROLLED DOCUMENT WHEN PRINTED

- 1											
	TOLERANCE NOTES: 1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES								CHK / APPR: CHANAKA ABEYSINGHE DATE:	>.<	HEAD OFFICE: CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741
	2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE	Rev DESCI	RIPTION			DATE:	BY:	ECO#:	RPEQ DOCUMENT #:		ENGINEERING & DEVELOPMENT: 2 STRADBROKE STREET
	3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY	GENERAL	TOLERANCES	)		KUL					HEATHWOOD, QLD 411
	4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE	NOMINAL:	UP TO 1000mm	1M A	ND ABOVE	FLAT	IESS: (NOT INCLUDING BR	ROOME FINISH)	WEIGHT: 15Kg	SYSTEMS	(07) 3714 0444
	5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS 6. SURFACE FINISH - CLASS 4 (AS3610.1)	TOLERANCE:		1mm IN 200m	m UP TO A MAXIMU F 20mm	JM ±4	mm PER 1M IN 1M LEN		SURFACE TREATMENT:	NOT WITHOUT THE EXPRESS CONSEN COPIED, REPRODUCED, OR GIVEN TO	HIS DOCUMENT IS CONFIDENTIAL AND NT OF CUBIS SYSTEMS AUSTRALIA TO E ANY OTHER PARTY IN ANY FORM AND DATENTE VEST IN CUBIS SYSTEMS AU

	PROJECT DESCRIPTION: CUBIS SYSTEMS AUSTRALIA CATALOGUE PRODUCTS											
T 1110	AX STM	IMS CLASS A										
ND IS	⊕E-	DRAWN TO DO NOT FROM S	CCALE		WING No: )201176	REV:						
ND AUS.	SHEET: A3	PAGE: 1/1	scale uno	:	DRAFTED DATE: 25/05/2018	DRAFTED BY:	<b>U</b>					