
CONCRETE PRODUCT NOTE:

1. REFER TO GENERAL TOLERANCES UNO

GRADE OF CONCRETE - 40MPA COVER TO REINFORCEMENT TO BE 50mm

3. COVER TO REINFORCEMENT TO BE 5
4. CONCRETE VOLUME (M³) = [0.011]

| BOM:50201444 | | | | | | |
|--------------|------|----------|-----------------------------|----------------|--------|--|
| ITEM # | QTY. | PART# | DESCRIPTION | MATERIAL | VOLUME | |
| 1 | 1 | 50201265 | CONCRETE 40Mpa | CONCRETE 40MPa | 0.011 | |
| 2 | 1 | 50201191 | REO CONCRETE COVER P5&6 | MS GR-250 | | |
| 3 | 2 | 50201206 | PLATE COVER LIFTING HOLE ZP | MS GR-250 | | |








END VIEW

ISOMETRIC VIEW



±5mm

ELEVATION VIEW

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

6. SURFACE FINISH - CLASS 4 (AS3610.1)

TOLERANCE:

| 3 | | | | | | | | CHK / APPR: M.LEE |
|------|-------|--------------|--------------|------|-------|------------------|---------------------|----------------------|
| 2 | | | | | | | | DATE: |
| 1 | | | | | | | | |
| Rev. | DESCR | IPTION | | DATE | | BY | APPROVED | RPEQ DOCUME |
| GE | NERAL | TOLERANCES | REVIS | SION | CONT | ROL | | |
| NOM | INAL: | UP TO 1000mm | 1M AND ABOVE | | FLATN | ESS: (NOT INCLUD | DING BROOME FINISH) | WEIGHT: |

1mm IN 200mm UP TO A MAXIMUM OF 20mm

DATE: RPEQ DOCUMENT #: MATERIAL ±4mm PER 1M WIDTH CONCRETE 40MPA IN 1M LENGTH

30.57Kg



CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741 91 STRADBROKE STREET
HEATHWOOD, QLD 4110
LAS' (07) 3714 0444 THE INFORMATION DISCLOSED IN

A CRH COMPANY

AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

| RAFTED DATE: | PART/PRODUCT # | QUOTE # | ORDER # | | | | |
|----------------------------|--|----------------|-----------|--|--|--|--|
| 5/09/2020 | 50201444 | | | | | | |
| RAFTED BY: | REINFORCEMENT COMPUTATION | PIT # | ITEM TYPE | | | | |
| .CHAO | | | COVER | | | | |
| ATE LAST SAVED: | CLIENT | <u> </u> | • | | | | |
| /11/2021 | CUBIS SYSTEMS/AUSPITS | | | | | | |
| AST SAVED BY: | PROJECT DESC | | | | | | |
| IBRADIC | CUBIS SYSTEMS - CATALOGUE PRODUCTS | | | | | | |
| (| AX S TM P5 COVER CONCRETE VOCUS CLASS A | | | | | | |
| DRAWN TO AS 1100 | DRAWING # PAGE | SHEET SIZE SCA | | | | | |
| DO NOT SCALE FROM SHEET | 50201444 1 | / 1 A3 | 1:5 | | | | |