

- CONCRETE PRODUCT NOTE:

 1. REFER TO GENERAL TOLERANCES UNO
 2. COVER TO REINFORCEMENT TO BE 50m
 3. CONCRETE VOLUME (M³) = [0.011] COVER TO REINFORCEMENT TO BE 50mm

BOM:50201450									
ITEM #	QTY.	PART#	DESCRIPTION	MATERIAL	VOLUME				
1	1	50201265	CONCRETE 40Mpa	CONCRETE 40MPa	0.011				
2	1	50201191	REO CONCRETE COVER P5&6	MS GR-250					
3	2	50201206	PLATE COVER LIFTING HOLE ZP	MS GR-250					







TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

6. SURFACE FINISH - CLASS 4 (AS3610.1)

2 Rev. DESCRIPTION DATE APPROVED REVISION CONTROL **GENERAL TOLERANCES** FLATNESS: (NOT INCLUDING BROOME FINISH) NOMINAL: UP TO 1000mm 1M AND ABOVE ±4mm PER 1M WIDTH 1mm IN 200mm UP TO A MAXIMUM OF 20mm TOLERANCE: IN 1M LENGTH ±5mm

CHK / APPR DATE: RPEQ DOCUMENT #: 30.61Kg CONCRETE 40MPA



CARNGHAM ROAD BALLARAT, VIC 3351 (03) 5335 8741 91 STRADBROKE STREET HEATHWOOD, QLD 4110 (07) 3714 0444 THE INFORMATION DISCLOSED IN

A CRH COMPANY

AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

DRAFTED DATE:	PART/PRODUCT #	QUOT	E #	ORDER #			
15/09/2020	50201450						
DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #		ITEM TYPE			
A.CHAO				COVE	ER .		
DATE LAST SAVED:	CLIENT	•		•			
28/10/2021	CUBIS SYSTEMS/AUSPITS						
LAST SAVED BY:	PROJECT DESC						
NBRADIC	CUBIS SYSTEMS - CATALOGUE PRODUCTS						
⊕€	DRAWING NAME AX S™ P5 COVER CONCRETE RAIL SIGNAL CLASS A REV.						
DRAWN TO AS 1100	DRAWING #	PAGE	SHEET SIZE	SCALE			
DO NOT SCALE FROM SHEET	50201450	1/1	А3	1:5			