



PLAN VIEW



ISOMETRIC VIEW



ELEVATION VIEW


TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE IN CONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE
3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				

GENERAL TOLERANCES		REVISION CONTROL	
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH

CHK / APPR:	CA
DATE:	27/09/2019
RPEQ DOCUMENT #:	
WEIGHT:	36Kg
MATERIAL:	CONCRETE 40MPa



HEAD OFFICE:
CARNHAM ROAD
BALLARAT, VIC 3351
(03) 5335 8741

ENGINEERING & DEVELOPMENT:
2 STRADBROKE STREET
HEATHWOOD, QLD 4110
(07) 3714 0444

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

DRAFTED DATE:	10/08/2018
DRAFTED BY:	P.ADAMS
DATE LAST SAVED:	27/09/2019
LAST SAVED BY:	ChanakaA
DRAWN TO AS 1100 DO NOT SCALE FROM SHEET	

PROJECT:	CUBIS SYSTEMS CATALOGUE		
	SUPERLOOP		
	P5 CONCRETE COVER		
NAME:	P5 CONCRETE COVER, SUPERLOOP		
DRAWING No:	50201453		
PROJECT / CATALOGUE CODE:	50201453	PAGE:	1 / 1
		SHEET:	A3
		SCALE UNO:	1:5
REV	0		