
		B	UM:502	01936			
TEM #	PART #		DES	CRIPTION			WEIGHT
1	50201936	LOG	O 150X30X1	1.6 ETCH BLUE	COMMS		0.0
		B		TOR ST.			
				ISSUED FO	PR CLIENT	REVIEW	ONLY
				ISSUED FO ISSUE	DATE	1	ONLY T APPROVAL
			DRAFTED DATE:		DATE 1/08/2022	1	
	Infrastr	ucture	1/08/2022	ISSUE	DATE 1/08/2022	CLIEN	T APPROVAL
	Infrastr		1/08/2022 DRAFTED BY: N.BRADIC	ISSUE PART/PRODUCT # 50201936 REINFORCEMENT COMPUTAT CLIENT	DATE 1/08/2022	CLIEN	T APPROVAL
	Products	Australia	1/08/2022 DRAFTED BY: N.BRADIC DATE LAST SAVED: 1/08/2022	ISSUE PART/PRODUCT # 50201936 REINFORCEMENT COMPUTAT	DATE 1/08/2022	CLIEN	T APPROVAL
0.0Kg		Australia	1/08/2022 DRAFTED BY: N.BRADIC DATE LAST SAVED: 1/08/2022 LAST SAVED BY: NBRADIC	ISSUE PART/PRODUCT # 50201936 REINFORCEMENT COMPUTAT CLIENT CUBIS SYSTEM	DATE 1/08/2022	CLIEN	T APPROVAL
0.0Kg CIFIED>	Products A CRH CC	Australia	1/08/2022 DRAFTED BY: N.BRADIC DATE LAST SAVED: 1/08/2022 LAST SAVED BY: NBRADIC	ISSUE PART/PRODUCT # 50201936 REINFORCEMENT COMPUTA' CLIENT CUBIS SYSTEM PROJECT DESC	DATE 1/08/2022	CLIEN	T APPROVAL





UNCONTROLLED DOCUMENT WHEN PRINTED

1.6

Пт	OLERANCE NOTES:	3							CHK / APPR:			DRAFTED DATE:
ll i.	CONCRETE TOLERANCES TO BE									Infract	ruoturo	1/08/2022
	INCONJUCTION / ACCORDANCE WITH	2							DATE:	- IIIIasi	ructure	DRAFTED BY:
	AS3600 - CONCRETE STRUCTURES	1							11			N.BRADIC
2.	WHEN A BROOM FINISH IS REQUIRED THE									- Droducte	Australia	DATE LAST SAVED:
		(Rev. DES	CRIPTION		DATE		BY	APPROVED	RPEQ DOCUMENT #:	FIUUUUUS	Austialia	1/08/2022
11 -	FLATNESS TOLERANCE				EVISION	CONT		1	11			LAST SAVED BY:
3.	WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY	GENEF	RAL TOLERANCES			CONT	KUL				COMPANY	NBRADIC
1	CONCRETE GRADE - 40MPA UNLESS NOTED	NOMINAL	:	x		FLATN	IESS: (NOT INCLU	DING BROOME FINISH)	WEIGHT: 0.0K	HEAD OFFICE:		INDRADIC
4.	OTHERWISE		UP TO 1000mm	1M AND AB	OVE						ENGINEERING & DEVELOPMENT:	
5.	DIMENSIONS ARE NOT INCLUSIVE OF	<u> </u>			-	+1m	m DED 1		ERIAL <not specified<="" td=""><td>II REEVES COURI</td><td>91 STRADBROKE STREET</td><td></td></not>	II REEVES COURI	91 STRADBROKE STREET	
.	SEALANTS OF JOINTS	TOLERAN		1mm IN 200mr	n UP TO	<u>- 40</u>			LRIAL CNOT SPECIFIED			DRAWN TO AS 110
6.	SURFACE FINISH - CLASS 4 (AS3610.1)		±5mm	A MAXIMUM O	= 20mm	·	IN 1M LE		IRF REF:	1800 065 356	(07) 3714 0444	DO NOT SCALE FROM SHEET

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IF NOT WITHOUT THE EXPRESS CONSENT OF 'INFRASTRUCTURE PRODUCTS AUSTRALIA' TO BE COPIED, REPRODUCED, OR GIVEN