GENERAL NOTE: 1. REFER TO GENERAL TOLERANCES UNO 2. GRADE OF CONCRETE - 40MPA (PRE-CAST COMPONENTS) 3. ALL PRE-CAST LIFTING POINTS TO BE USED WHEN LIFTING MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPA AT THE TIME OF LIFTING (PRE-CAST COMPONENTS) REFER TO ANCON LIFTING ARRANGEMENT PLAN (PRE-CAST COMPONENTS) 6. FOUNDATION MATERIAL & PREPARATION PROCEEDURE REFER TO INSTALLATION GUIDE (ULTIMA CONNECT RANGE™) 7. LADDER OR STEP IRONS CAN BE SUPPLIED AS PER CLIENT REQUIREMENT 1180 997 C/O 930 FLOOR FACE 3 530 FLOOR 0/0 597 FACE 1 **PLAN VIEW** ISOMETRIC VIEW 4x1.3T LIFTING ANCHORS Œ Œ Œ 0 0 731 TYP 1095 $\sqrt{60}$ TYP 3 FACES NO ENTRIES Ø55 DRAIN 107 402 1104 300 90 TYPICAL TYP 704 WALL & FLOOR THICKNESS FACE 1 FACE 3 FACE 2 FACE 4 TOLERANCE NOTES: 1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES 2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY 4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE 5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS CARNGHAM ROAD CUBIS SYSTEMS AUSTRALIA ANDREW CHAO BALLARAT, VIC 3351 (03) 5335 8741 CATALOGUE PRODUCTS RPEQ DOCUMENT #: Rev DESCRIPTION DATE: BY: ECO#: PIT CONCRETE 1000x600x1000x90mm NSW RAIL KNOCKOUTS CLASS D 2 STRADBROKE STREET REVISION CONTROL GENERAL TOLERANCES NOMINAL: HEATHWOOD, QLD 41 (07) 3714 0444 FLATNESS: (NOT INCLUDING BROOME FINISH 884.31Kg 1M AND ABOVE DRAWN TO AS 1100 DO NOT SCALE FROM SHEET UP TO 1000mm 50201513 THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND

±4mm PER 1M WIDTH

IN 1M LENGTH

1mm IN 200mm UP TO A MAXIMUM OF 20mm

TOLERANCE:

±5mm

SEALANTS OF JOINTS SURFACE FINISH - CLASS 4 (AS3610.1)

CONCRETE FIBRE 40MPA

THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

1/1 1:20

Y.J.SHAN

1/12/2015