



### BILL OF MATERIALS


ITEM NO.	QTY.	DESCRIPTION
1	1	CAST ENCASEMENT
2	1	A99B1P CONCRETE INFIL COVER, CLASS B
3	4	FOOT ANCHOR - 1.3Tx120



PLAN VIEW



ISOMETRIC VIEW



SECTION A-A


**TOLERANCE NOTES:**

1. CONCRETE TOLERANCES TO BE IN CONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE
3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
4. CONCRETE GRADE - 40MPa UNLESS NOTED OTHERWISE
5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				

GENERAL TOLERANCES		REVISION CONTROL	
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH

CHK / APPR:	
DATE:	20/10/2015
RPEQ DOCUMENT #:	
WEIGHT:	867.90Kg
MATERIAL:	CONCRETE 40MPa



HEAD OFFICE:  
CARNGHAM ROAD  
BALLARAT, VIC 3351  
(03) 5335 8741

ENGINEERING & DEVELOPMENT:  
2 STRADBROKE STREET  
HEATHWOOD, QLD 4110  
(07) 3714 0444

THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN CUBIS SYSTEMS AUS.

DRAFTED DATE:	30/09/2015
DRAFTED BY:	P.ADAMS
DATE LAST SAVED:	12/04/2018
LAST SAVED BY:	ChanakaA
DRAWN TO AS 1100	DO NOT SCALE FROM SHEET

PROJECT:	50201706 - ENCASEMENT INFILL 1500x1500x200 WITH 99B CLASS B		
NAME:		REV	0A
DRAWING No:	50201706		
PROJECT / CATALOGUE CODE:	50201706	PAGE:	1 / 1
		SHEET:	A3
		SCALE UNO:	1:20