




- CONCRETE GRADE TO BE 50 MPA MINIMUM 1. 2.
- DESIGN LIFE OF 50 YEARS MINIMUM EXPOSURE CLASSIFICATION - B2 MINIMUM COVER TO REINFORCEMENT - 40mm
- 3. DESIGN LIFE OF 100 YEARS MINIMUM EXPOSURE CLASSIFICATION - B1 MINIMUM COVER TO REINFORCEMENT - 40mm
- DESIGN CAPACITY OF PITS WITH CLASS L REINFORCEMENT 4. HAS BEEN REDUCED 20%
- 5. 6.
- ALLOWABLE SOIL BEARING PRESSURE IS 100KPA TOP REBATE TO SUIT RISER SHALL BE ACCORDING TO THE PIT ASSEMBLY DRAWINGS




PLAN VIEW

		BOM:
ITEM #	QTY.	DESC
1	1	CORBEL WITH REB
2	4	FOOT ANCHOR 1.3







_													
-    ·	TOLERANCE NOTES:	3							CHK / APPR:				DRAFTED DATE:
	1. CONCRETE TOLERANCES TO BE												30/06/2020
	INCONJUCTION / ACCORDANCE WITH	2							DATE:				DRAFTED BY:
	AS3600 - CONCRETE STRUCTURES	1											MLEE
	2. WHEN A BROOME FINISH IS REQUIRED THE								RPEQ DOCUME	NT #.		HEAD OFFICE:	DATE LAST SAVED:
	GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE	Rev. DESCR	IPTION		DAT	E	BY	APPROVED		INT #.	1/1 REEVES COUR	T, BREAKWATER, VIC 3219	24/08/2020
	3. WALL THICKNESS - DIMENSION AS NOTED					REVISION CONTROL			]			LAST SAVED BY:	
	IS MINIMUM THICKNESS ONLY	GENERAL TOLERANCES								)		MLEE	
	4. CONCRETE GRADE - 40MPA UNLESS NOTED	NOMINAL:			FLATN	FLATNESS: (NOT INCLUDING BROOME FINISH)		WEIGHT:	858Kg	THE INFORMATION DISCLOSED IN THIS DOCUM			
	OTHERWISE		UP TO 1000mm	1M AND	ABOVE				MATERIAL:	050119		NOT WITHOUT THE EXPRESS	
	5. DIMENSIONS ARE NOT INCLUSIVE OF	TOLERANCE:		4 711 200		⊣+4m	mm PER 1M WIDT	1M WIDTH	MATERIAL:	CONCRETE 50MPA	CONSENT OF AUSPITS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN AN	11 ' 1	
	SEALANTS OF JOINTS	TULERANCE:	±5mm	1mm IN 200			IN 1M LE		IRF REF:	CONCILLE JUNIA	FORM AND THAT ALL C	OPYRIGHT, DESIGNS AND	DRAWN TO AS 1100 DO NOT SCALE FROM SHEET
	6. SURFACE FINISH - CLASS 4 (AS3610.1)		511111	A MAXIMUM OF 20m					<u></u>		PATENTS VEST IN AUS	PITS AUSTRALIA	FROM SHEET
6									-		*		