GENERAL NOTES:

CONCRETE GRADE TO BE 50 MPA MINIMUM

DESIGN LIFE OF 50 YEARS

MINIMUM EXPOSURE CLASSIFICATION - B2 MINIMUM COVER TO REINFORCEMENT - 40mm

DESIGN LIFE OF 100 YEARS


MINIMUM EXPOSURE CLASSIFICATION - B1 MINIMUM COVER TO REINFORCEMENT - 40mm


DESIGN CAPACITY OF PITS WITH CLASS L REINFORCEMENT

HAS BEEN REDUCED 20%

ALLOWABLE SOIL BEARING PRESSURE IS 100KPA TOP REBATE TO SUIT RISER SHALL BE ACCORDING TO THE


PIT ASSEMBLY DRAWINGS






BOM:50202662					
ITEM #	QTY.	DESCRIPTION	MATERIAL		
1	1	CORBEL WITH REBATE 1200x1150x230	CONCRETE 50MPa		
2	4	FOOT ANCHOR 1.3Tx120mm	MS GR-250 GALV		

VIC / 300LA & CLASS D / CORBEL WITH RERATE 1200x1150x230 / UP TO 4m DEPTH



ISOMETRIC VIEW



SECTION B-B SCALE 1:10

TSSIIED FOD CONSTRUCTION

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

6. SURFACE FINISH - CLASS 4 (AS3610.1)

3							CHK / APPR:	
2							DATE:	
1								
ev. DESCRIPTION			DATE		BY APPROVED RPEQ DOCUMENT #:		NT #:	
GENERAL TOLERANCES REVISION				CONT	ROL			
OMINAL: UP TO 1000mm 1M AND ABOVE		BOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)		WEIGHT:	829K		
DLERANCE: ±5mm In 200mm UP A MAXIMUM OF 201		nm UP TO	±4mm PER 1M WIDTH IN 1M LENGTH		MATERIAL: IRF REF:	CONCRETE 50MF		
A MAXIMOM OF ZORRIT								

	Aus Pitsz					
	1/1 REEVES COURT, BREAKWATER, VIC 3219 P: (03) 5222 4526; F: (03) 5222 1914					
Kg	THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS					
MPA	CONSENT OF AUSPITS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN AUSPITS AUSTRALIA					

193	DED FOR C	ONS I R	CITON		
DRAFTED DATE:	PART/PRODUCT #	QUOTE #	ORDER #		
30/06/2020					
DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #	ITEM TYPE		
MLEE					
DATE LAST SAVED:	CLIENT				
24/08/2020					
LAST SAVED BY:	PROJECT DESC				
MLEE	CORBEL (VIC - 300LA 8	(CLASS D)			
ENGINEERING COMPUTATION					
DRAWN TO AS 1100	DRAWING #	PAGE SHEET SIZE	SCALE		
DO NOT SCALE FROM SHEET	50202662	1/1 A3	1:20		