GENERAL NOTES:

CONCRETE GRADE TO BE 50 MPA MINIMUM

DESIGN LIFE OF 50 YEARS

MINIMUM EXPOSURE CLASSIFICATION - B2 MINIMUM COVER TO REINFORCEMENT - 40mm

DESIGN LIFE OF 100 YEARS


MINIMUM EXPOSURE CLASSIFICATION - B1 MINIMUM COVER TO REINFORCEMENT - 40mm


DESIGN CAPACITY OF PITS WITH CLASS L REINFORCEMENT

HAS BEEN REDUCED 20%

ALLOWABLE SOIL BEARING PRESSURE IS 100KPA TOP REBATE TO SUIT RISER SHALL BE ACCORDING TO THE


PIT ASSEMBLY DRAWINGS





BOM:50203318						
ITEM # QTY.		DESCRIPTION	MATERIAL			
1	1	CORBEL WITH REBATE 1200x1050x230	CONCRETE 50MPa			
2	4	FOOT ANCHOR 1.3Tx120mm	MS GR-250 GALV			

VIC / 300LA & CLASS D / CORBEL WITH REBATE 1200x1050x230 / UP TO 4m DEPTH



ISOMETRIC VIEW



SECTION B-B SCALE 1:10

ISSUED FOR CONSTRUCTION

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE

5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS

6. SURFACE FINISH - CLASS 4 (AS3610.1)

	3								CHK / APPR:	
	2								DATE:	
:	1									
	Rev.	ev. DESCRIPTION			DATE		BY	APPROVED	RPEQ DOCUMENT #:	
	GENERAL TOLERANCES REVI				ISION	SION CONTROL				
	NOM	NOMINAL: UP TO 1000mm		1M AND ABOVE		FLATNESS: (NOT INCLUDING BROOME FINISH)		DING BROOME FINISH)	WEIGHT:	756Kg
	TOLE	RANCE:	01 10 1000111111	1mm IN 200mm UF					CONCRETE 50MF	
			±5mm	A MAXIMUM OF 2				NGTH		

		DR
	Mara Mika d	30
\exists		DR
		MI
\dashv	HEAD OFFICE:	DA
	1/1 REEVES COURT, BREAKWATER, VIC 3219	24
	P: (03) 5222 4526; F: (03) 5222 1914	LA:
\prec		М
g)	THE INFORMATION DISCLOSED IN THIS DOCUMENT IS	Ë
긔	CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS	1

CONSENT OF AUSPITS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN AUSPITS AUSTRALIA

133	OLD I OK C		NOC I	TOI		
DRAFTED DATE:	PART/PRODUCT # QUOTE #		ORDER	ORDER #		
30/06/2020						
DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #	ITEM TY	'PE		
MLEE						
DATE LAST SAVED:	CLIENT					
24/08/2020						
LAST SAVED BY:	PROJECT DESC					
MLEE	CORBEL (VIC - 300LA & CLASS D)					
ENGINEERING COMPUTATION						
DRAWN TO AS 1100	DRAWING #	PAGE SHEET	SIZE SCALE			
DO NOT SCALE FROM SHEET	50203318	1/1 A	3 1:20			