


- FIBRE CONCRETE NOTE:1.REFER TO GENERAL TOLERANCES UNO2.STEEL & FIBRE REINFORCED CONCRETE 50MPA3.ALL LIFTING POINTS TO BE USED WHEN LIFTING4.MINIMUM STRENGTH OF CONCRETE SHALL BE25MPA AT THE TIME OF LIFTING5.REFER TO CUBIS PRECAST CONCRETE INSTALLATIONGUIDE (V.1 2019) FOR INSTALLATION DETAILS6.REFER TO ANCON LIFTING ARRANGEMENT PLAN

			BOM:50204909
ITEM #	QTY.	PART #	DESCRIPTION
1	1	50202614	CONCRETE FIBER 50MF
2	18	50201048	FERRULE ZP M12x50 C/W 10m
3	4	50201274	FOOT ANCHOR GALV 1.3Tx6





UNCONTROLLED DOCUMENT WHEN PRINTED

											HEAD OFFICE:	DRAFTED DATE:
TOLERANCE NOTES:	3							CHK / APPR:				
1. CONCRETE TOLERANCES TO BE								AC			BALLARAT, VIC 3351	23/08/2021
INCONJUCTION / ACCORDANCE WITH	2							DATE:				DRAFTED BY:
AS3600 - CONCRETE STRUCTURES	1										(03) 5335 8741	D.PRUSAC
2. WHEN A BROOME FINISH IS REQUIRED THE	-										ENGINEERING & DEVELOPMENT: 91 STRADBROKE STREET	DATE LAST SAVED:
	Rev. DESCR	IPTION		DATE	E	BY	APPROVED	RPEQ DOCUMENT #:		CUDIC		1 6 /1 1 /2 0 2 1
FLATNESS TOLERANCE	GENERAL TOLERANCES							(CUBIS		LAST SAVED BY:	
3. WALL THICKNESS - DIMENSION AS NOTED				REVISION CONTROL						(07) 3714 0444		
IS MINIMUM THICKNESS ONLY	NOMINAL:		(=				DING BROOME FINISH)	WEIGHT:	24616	L SYSTEMS	THE INFORMATION DISCLOSED IN	CABEYSINGH
4. CONCRETE GRADE - 40MPA UNLESS NOTED		UP TO 1000mm	1M AND ABC			(NOT INCLU	DING BROOME FINISH)		246Kg	STSTEMS	THIS DOCUMENT IS CONFIDENTIAL	
OTHERWISE 5. DIMENSIONS ARE NOT INCLUSIVE OF		0F 10 100011111	IN AND ADC	VL				MATERIAL:		A CRH COMPANY	AND IS NOT WITHOUT THE EXPRESS CONSENT OF CUBIS SYSTEMS	Ľ⊕ =
SEALANTS OF JOINTS	TOLERANCE:		1mm IN 200mm				M WIDTH			AUSTRALIA TO BE COPIED, REPRODU	CONSENT OF COBIS STSTEMS	DRAWN TO AS 1100
6. SURFACE FINISH - CLASS 4 (AS3610.1)		±5mm	A MAXIMUM OF		I	N 1M LE	NGTH	IRF REF:		ANY FORM AND THAT ALL COPYRIGH		DO NOT SCALE FROM SHEET
(0. SON ACE TINIST - CLASS 4 (ASSOLD.1)				2011111						CUBIS SYSTEMS AUS.)	

9_					
	MATER	IAL		VO	LUME
IPa	CONCRET	e fibre	50MPa		0.2
mm HOLE	MS GR2	250 ZI	INC		
x65mm	MS GR-	-250 G	GALV		
<u>TRIC VIEW</u>					
221	1322	113° 117° 17° 17° 17° 17° 17° 17° 17° 17° 1		1400 165	200
Ī	FACE 3				
PART/PRODUCT #		QUOT	E #	ORDER #	
REINFORCEMENT COMPUTA	TION	PIT #		ITEM TYP	
		P'11 #			-
CLIENT					
PROJECT DESC					
DRAWING NAME					REV.
DRAWING #		^{PAGE} 1 / 1	SHEET SIZE A3	scale 1:20	U
J 20207303		- / -	, (5	1.20	