
FABRICATION NOTE:

- 1. REFER TO TOLERANCES FABRICATION UNO
- 2. WELDS TO COMPLY WITH AS 1554-1
- 3. 5mm CONTINUOUS FILLET WELDS UNO
- 4. ALL SHEET & PLATE PROFILES TO BE MACHINE CUT FROM .DXF FILES, SOME DIMENSIONS OMITTED
- 5. REMOVE ALL BURRS & SHARP EDGES
- 6. * DENOTES FORMED/ROLLED PROFILES
- 7. MATERIAL CERTIFICATE TO BE SUPPLIED

BOM:50206351								
ITEM #	QTY.	PART #	DESCRIPTION	WEIGHT				
1	1	50206351-01	CUBIS GMS COVER, FRAME	20.42				
2	2	50206351-02	CUBIS GMS COVER, LID	22.53				
3	2	50206351-03	900X600D GMS NAME PLATE	0.0				
4	1	50206351-04	BEAM, CENTRE 600mm	5.5				



TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE
 INCONJUCTION / ACCORDANCE WITH
 AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOM FINISH IS REQUIRED THE
 GENERAL TOLERANCE SUPERCEDES THE
 FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED
 IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED
 OTHERWISE CONCRETE GRADE - 40117A ONLESS 110.10
 OTHERWISE
 DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
 SURFACE FINISH - CLASS 4 (AS3610.1)

2 Rev. DESCRIPTION DATE APPROVED BY REVISION CONTROL **GENERAL TOLERANCES** FLATNESS: (NOT INCLUDING BROOME FINISH) 1M AND ABOVE UP TO 1000mm ±4mm PER 1M WIDTH 1mm IN 200mm UP TO A MAXIMUM OF 20mm TOLERANCE:

AC RPEQ DOCUMENT #: 71.05Kg MATERIAL

Infrastructure Products Australia

A CRH COMPANY

91 STRADBROKE STREET 1 REEVES COURT BREAKWATER, VIC 3219 HEATHWOOD, QLD 4110

DRAFTED DATE:	PART/PRODUCT #	QUOTI	E #	ORDER #			
2/09/2022	50206351						
DRAFTED BY:	REINFORCEMENT COMPUTATION PIT #		ITEM TYPE				
N.BRADIC							
DATE LAST SAVED:	CLIENT			'			
2/09/2022	CUBIS SYSTEMS						
LAST SAVED BY:	SAVED BY: PROJECT DESC						
CABEYSINGH	CUBIS GMS COVER PROJECT						
E ⊕ €=-	COVER AND FRAME GMS SOLID TOP 900x600 CLASS D						
DRAWN TO AS 1100	DRAWING #	PAGE	SHEET SIZE	SCALE			
DO NOT SCALE FROM SHEET	50206351	1/1	А3	1:10			

IN 1M LENGTH