GENERAL NOTES:

1. CONCRETE GRADE TO BE 50 MPA MINIMUM

2. DESIGN LIFE OF 50 YEARS

MINIMUM EXPOSURE CLASSIFICATION - B2 MINIMUM COVER TO REINFORCEMENT - 40mm

DESIGN LIFE OF 100 YEARS

MINIMUM EXPOSURE CLASSIFICATION - B1 MINIMUM COVER TO REINFORCEMENT - 40mm


4. DESIGN CAPACITY OF PITS WITH CLASS L REINFORCEMENT


HAS BEEN REDUCED 20%

5. ALLOWABLE SOIL BEARING PRESSURE IS 100KPA

6. TOP REBATE TO SUIT RISER SHALL BE ACCORDING TO THE


PIT ASSEMBLY DRAWINGS






BOM:50203865					
ITEM #	QTY.	DESCRIPTION	MATERIAL		
1	1	CORBEL WITH REBATE 800x480x230	CONCRETE 50MPa		
2	2	FOOT ANCHOR 1.3Tx120mm	MS GR-250 GALV		

VIC / 300LA & CLASS D / CORBEL WITH REBATE 800x480x230 / UP TO 4m




ISOMETRIC VIEW



SECTION B-B

ISSUED FOR CONSTRUCTION



-	Aus Pits#						
	1/1 REEVES COURT, BREAKWATER, VIC 3219 P: (03) 5222 4526; F: (03) 5222 1914						
g PA	THE INFORMATION DISCLOSED IN THIS DOCUMENT IS CONFIDENTIAL AND IS NOT WITHOUT THE EXPRESS CONSENT OF AUSPITS AUSTRALIA TO BE COPIED, REPRODUCED, OR GIVEN TO ANY OTHER PARTY IN ANY FORM AND THAT ALL COPYRIGHT, DESIGNS AND PATENTS VEST IN AUSPITS AUSTRALIA						

-00		110111	0011011		
DRAFTED DATE:	PART/PRODUCT #	QUOTE #	ORDER #		
30/06/2020					
DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #	ITEM TYPE		
MLEE					
DATE LAST SAVED:	CLIENT	'	•		
24/08/2020					
LAST SAVED BY:	PROJECT DESC				
MLEE	CORBEL (VIC - 300LA & CLASS D)				
	ENGINEERING COMPUTATION				
DRAWN TO AS 1100	DRAWING # PAG	E SHEET SIZE	SCALE		
DO NOT SCALE FROM SHEET	50203865	. / 1 A3	1:10		