


PLAN VIEW



ELEVATION VIEW

BOM:50201492				
ITEM #	QTY.	PART #	DESCRIPTION	WEIGHT
1	1	50201492	PIT CONCRETE MANHOLE TURRET 200mm	1005
2	4	50201274	FOOT ANCHOR 1.3TX65MM	



ISOMETRIC VIEW

UNCONTROLLED DOCUMENT WHEN PRINTED

- TOLERANCE NOTES:**
1. CONCRETE TOLERANCES TO BE IN CONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
 2. WHEN A BROOME FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEEDS THE FLATNESS TOLERANCE
 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
 4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
 5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
 6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev.	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				

GENERAL TOLERANCES		REVISION CONTROL	
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH

CHK / APPR:	Thilini Mendis
DATE:	19/07/2018
RPEQ DOCUMENT #:	
WEIGHT:	1005Kg
MATERIAL:	MS GR-250 GALV
IRF REF:	

Infrastructure Products Australia
A CRH COMPANY

HEAD OFFICE:
1 REEVES COURT
BREAKWATER, VIC 3219
1800 065 356

ENGINEERING & DEVELOPMENT:
91 STRADBROKE STREET
HEATHWOOD, QLD 4110
(07) 3714 0444

DRAFTED DATE:	19/07/2018
DRAFTED BY:	
DATE LAST SAVED:	29/05/2023
LAST SAVED BY:	TMENDIS
DRAWN TO AS 1100 DO NOT SCALE FROM SHEET	

PART/PRODUCT #	50201492	QUOTE #		ORDER #	
REINFORCEMENT COMPUTATION		PIT #		ITEM TYPE	
PIT CONCRETE MANHOLE TURRET 200mm					
DRAWING NAME	PIT CONCRETE MANHOLE TURRET 200mm				REV.
DRAWING #	50201492	PAGE	1 / 1	SHEET SIZE	A3
		SCALE	1:10		0