


CONCRETE PRODUCT NOTE:
 1. REFER TO GENERAL TOLERANCES UNO
 2. GRADE OF CONCRETE - CONCRETE 50MPA
 3. ALL LIFTING POINTS TO BE USED WHEN LIFTING
 4. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPA AT THE TIME OF LIFTING
 5. COVER TO REINFORCEMENT TO BE 40mm
 6. REFER TO [AP-EC-CLS D-ENC 1600X1300X250] FOR REINFORCEMENT
 7. REFER TO ANCON LIFTING ARRANGEMENT PLAN
 8. CONCRETE VOLUME (M³) = [0.23]

SURFACE FINISH:
 •TOP : BROOM FINISH
 •ALL SIDES : OFF FORM FINISH


BOM:NPD23-126-600X1200 ENCASEMENT_

ITEM #	QTY.	PART #	DESCRIPTION	MATERIAL	VOLUME
1	1	50201266	CONCRETE 50MPA	CONCRETE 50MPa	0.23
2	1	50206950	COVER AND FRAME SOLID MODIFIED TRENCH 600x1200 2 PART CLASS D	CAST IRON	0.0
3	4	50201279	FOOT ANCHOR GALV 1.3TX85MM	MS GR-250 GALV	0.0




PLAN VIEW

COVER AND FRAME
 SOLID MODIFIED
 TRENCH 600X1200
 2 PART CLASS D




ISOMETRIC VIEW




ELEVATION VIEW

4 X 1.3T X 85MM
 FOOT ANCHORS



SECTION A-A



SECTION B-B

UNCONTROLLED DOCUMENT WHEN PRINTED

ISSUED FOR CONSTRUCTION

TOLERANCE NOTES:
 1. CONCRETE TOLERANCES TO BE IN CONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
 2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE
 3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
 4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
 5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
 6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				

GENERAL TOLERANCES		REVISION CONTROL	
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH

CHK / APPR:	
DATE:	
RPEQ DOCUMENT #:	
WEIGHT:	680 Kg
MATERIAL:	CONCRETE 50MPA
IRF REF:	

Infrastructure Products Australia
 A CRH COMPANY

HEAD OFFICE:
 1 REEVES COURT
 BREAKWATER, VIC 3219
 1800 065 356

ENGINEERING & DEVELOPMENT:
 91 STRADBROKE STREET
 HEATHWOOD, QLD 4110
 (07) 3714 0444

DRAFTED DATE:	13/09/2023
DRAFTED BY:	T.DESILVA
DATE LAST SAVED:	13/09/2023
LAST SAVED BY:	TDESILVA
DRAWN TO AS 1100	DO NOT SCALE FROM SHEET

PART/PRODUCT #	NPD23-126	QUOTE #		ORDER #	
REINFORCEMENT COMPUTATION		PIT #		ITEM TYPE	
CLIENT	INFRASTRUCTURE PRODUCTS AUSTRALIA				
PROJECT DESC	NPD23-126-600X1200 ENCASEMENT				
DRAWING NAME	ENCASEMENT WITH 600X1200 COVER				
DRAWING #	NPD23-126-600X1200 ENCASEMENT	PAGE	1 / 1	SHEET SIZE	A3
SCALE	1:20	REV.	A		