






CONCRETE NOTE:

1. REFER TO GENERAL TOLERANCES UNO
2. GRADE OF CONCRETE - MATERIAL <NOT SPECIFIED>
3. ALL LIFTING POINTS TO BE USED WHEN LIFTING
4. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPA AT THE TIME OF LIFTING
5. REFER TO CUBIS SYSTEMS_PRECAST INSTALLATION GUIDE_2019 FOR INSTALLATION DETAILS
6. REFER TO ANCON LIFTING ARRANGEMENT PLAN

BOM:NPD23-126-600X1200 ULTIMA PIT

| ITEM # | QTY. | PART # | DESCRIPTION | WEIGHT |
|--------|------|-----------|---|--------|
| 1 | 6 | 50201129 | STAKKABOX CONNECT HS RIGHT 1200mm | 6.72 |
| 2 | 6 | 50201141 | STAKKABOX CONNECT HS RIGHT 600mm | 3.94 |
| 3 | 24 | 50201133 | STAKKABOX ULTIMA PEG | 0.22 |
| 4 | 1 | NPD23-126 | ROOF HYBRID CONCRETE 1400X800X200 WITH REBATE TO SUIT C2 SL1 SCEC COVER | 280.5 |
| 5 | 6 | 50201128 | STAKKABOX CONNECT HS LEFT 1200mm | 3.05 |
| 6 | 6 | 50201118 | STAKKABOX CONNECT HS LEFT 600mm | 1.98 |
| 7 | 1 | NPD23-126 | FLOOR CONCRETE 1400X800X125MM TO SUIT ULTIMA 600X1200 | 315.9 |



UNCONTROLLED DOCUMENT WHEN PRINTED

ISSUED FOR CONSTRUCTION

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE IN CONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE
3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
6. SURFACE FINISH - CLASS 4 (AS3610.1)

| Rev | DESCRIPTION | DATE | BY | APPROVED |
|-----|-------------|------|----|----------|
| 3 | | | | |
| 2 | | | | |
| 1 | | | | |

| GENERAL TOLERANCES | | REVISION CONTROL | |
|--------------------|--------------|--------------------------------------|--|
| NOMINAL: | UP TO 1000mm | 1M AND ABOVE | FLATNESS: (NOT INCLUDING BROOM FINISH) |
| TOLERANCE: | ±5mm | 1mm IN 200mm UP TO A MAXIMUM OF 20mm | ±4mm PER 1M WIDTH MAX IN 1M LENGTH |

| | |
|------------------|-----------------|
| CHK / APPR: | |
| DATE: | |
| RPEQ DOCUMENT #: | |
| WEIGHT: | 850.2Kg |
| MATERIAL: | <NOT SPECIFIED> |
| IRF REF: | |

Infrastructure Products Australia
A CRH COMPANY

HEAD OFFICE:
1 REEVES COURT
BREAKWATER, VIC 3219
1800 065 356

ENGINEERING & DEVELOPMENT:
91 STRADBROKE STREET
HEATHWOOD, QLD 4110
(07) 3714 0444

| | |
|------------------|-------------------------|
| DRAFTED DATE: | 13/09/2023 |
| DRAFTED BY: | TDESILVA |
| DATE LAST SAVED: | 13/09/2023 |
| LAST SAVED BY: | TDESILVA |
| DRAWN TO AS 1100 | DO NOT SCALE FROM SHEET |

| | | | | | |
|----------------|-------------------------------|-----------------------------------|-------|------------|-----------|
| PART/PRODUCT # | REINFORCEMENT COMPUTATION | QUOTE # | PIT # | ORDER # | ITEM TYPE |
| CLIENT | | INFRASTRUCTURE PRODUCTS AUSTRALIA | | | |
| PROJECT DESC | | PIT AND COVERS FOR EXPO | | | |
| DRAWING NAME | | 600X1200 ULTIMA PIT | | | |
| DRAWING # | NPD23-126-600X1200 ULTIMA PIT | PAGE | 1 / 1 | SHEET SIZE | A3 |
| SCALE | 1:20 | REV. A | | | |