



CONCRETE PRODUCT NOTE:


1. REFER TO GENERAL TOLERANCES UNO
2. GRADE OF CONCRETE - CONCRETE 50MPA
3. ALL LIFTING POINTS TO BE USED WHEN LIFTING
4. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPA AT THE TIME OF LIFTING
5. COVER TO REINFORCEMENT TO BE 40mm
6. REFER TO [AP-EC-CRS66D-ENC 1000X1000X250] FOR REINFORCEMENT
7. REFER TO ANCON LIFTING ARRANGEMENT PLAN
8. CONCRETE VOLUME (M³) = [0.10]

BOM:NPD23-126-ROOF SLAB_PIT AND COVERS FOR EXPO


ITEM #	QTY.	PART #	DESCRIPTION	MATERIAL	VOLUME
1	1	50201266	CONCRETE 50MPA	CONCRETE 50MPa	0.1
2	1	50201227	AX S™ SCEC SL1 C5 COVER GMS	CAST IRON	0.0
3	4	50201279	FOOT ANCHOR GALV 1.3TX85MM	MS GR-250 GALV	0.0



ISOMETRIC VIEW



SECTION A-A



SECTION B-B

UNCONTROLLED DOCUMENT WHEN PRINTED

ISSUED FOR CONSTRUCTION

TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE INCONJUNCTION / ACCORDANCE WITH AS3600 - CONCRETE STRUCTURES
2. WHEN A BROOM FINISH IS REQUIRED THE GENERAL TOLERANCE SUPERCEDES THE FLATNESS TOLERANCE
3. WALL THICKNESS - DIMENSION AS NOTED IS MINIMUM THICKNESS ONLY
4. CONCRETE GRADE - 40MPA UNLESS NOTED OTHERWISE
5. DIMENSIONS ARE NOT INCLUSIVE OF SEALANTS OF JOINTS
6. SURFACE FINISH - CLASS 4 (AS3610.1)

Rev	DESCRIPTION	DATE	BY	APPROVED
3				
2				
1				

GENERAL TOLERANCES		REVISION CONTROL	
NOMINAL:	UP TO 1000mm	1M AND ABOVE	FLATNESS: (NOT INCLUDING BROOME FINISH)
TOLERANCE:	±5mm	1mm IN 200mm UP TO A MAXIMUM OF 20mm	±4mm PER 1M WIDTH IN 1M LENGTH

CHK / APPR:	
DATE:	
RPEQ DOCUMENT #:	
WEIGHT:	280.5 Kg
MATERIAL:	CONCRETE 50MPA
IRF REF:	

Infrastructure Products Australia
A CRH COMPANY

HEAD OFFICE:
1 REEVES COURT
BREAKWATER, VIC 3219
1800 065 356

ENGINEERING & DEVELOPMENT:
91 STRADBROKE STREET
HEATHWOOD, QLD 4110
(07) 3714 0444

DRAFTED DATE:	13/09/2023
DRAFTED BY:	T.DESILVA
DATE LAST SAVED:	13/09/2023
LAST SAVED BY:	TDESILVA
DRAWN TO AS 1100	DO NOT SCALE FROM SHEET

PART/PRODUCT #	QUOTE #	ORDER #
REINFORCEMENT COMPUTATION	PIT #	ITEM TYPE
CLIENT INFRASTRUCTURE PRODUCTS AUSTRALIA		
PROJECT DESC PIT AND COVERS FOR EXPO		
DRAWING NAME ROOF HYBRID CONCRETE 1400X800X200 WITH REBATE TO SUIT C2 SL1 SCEC COVER		
DRAWING #	PAGE	SHEET SIZE
NPD23-126-ROOF SLAB	1 / 1	A3
SCALE	REV.	
1:10	A	