
CONCRETE PRODUCT NOTE:

1. REFER TO GENERAL TOLERANCES UNO
2. REFER TO DRAWING [50202853] COVER DETAIL
3. GRADE OF CONCRETE - CONCRETE 50MPA
4. ALL LIFTING POINTS TO BE USED WHEN LIFTING
5. MINIMUM STRENGTH OF CONCRETE SHALL BE 25MPA AT THE TIME OF LIFTING

6. COVER TO REINFORCEMENT TO BE 50mm


7. REFER TO ANCON LIFTING ARRANGEMENT PLAN **SURFACE FINISH** •TOP: BROOM FINISH •SIDES: OFF FORM FINISH (CLASS 3, AS3610) 1000 O/A 1. CLASS D TRAFFIC DESIGN LOAD -AS3996:2019 & AS5100:2017 COVER AND FRAME SOLID 600x600 1 PART CLASS D (CRS66D) PLAN VIEW 612 C/O B **-**B **\_\_**\_ **SECTION A-A ELEVATION VIEW** 

BOM:50207426\_ **DESCRIPTION** MATERIAL ITEM # QTY. PART # 50206829 ENCASEMENT SOLID 1000x1000x250 WITH 600x600 CLASS D 50207781 TAG BRASS TRANS NSW COMMUNICATIONS BRASS






ISOMETRIC VIEW



## **SECTION B-B**



TOLERANCE NOTES:

1. CONCRETE TOLERANCES TO BE
 INCONJUCTION / ACCORDANCE WITH
 AS3600 - CONCRETE STRUCTURES

2. WHEN A BROOM FINISH IS REQUIRED THE
 GENERAL TOLERANCE SUPERCEDES THE
 FLATNESS TOLERANCE

3. WALL THICKNESS - DIMENSION AS NOTED
 IS MINIMUM THICKNESS ONLY

4. CONCRETE GRADE - 40MPA UNLESS NOTED
 OTHERWISE OTHERWISE
DIMENSIONS ARE NOT INCLUSIVE OF
SEALANTS OF JOINTS
SURFACE FINISH - CLASS 4 (AS3610.1) TOLERANCE:

2 Rev. DESCRIPTION DATE APPROVED BY REVISION CONTROL **GENERAL TOLERANCES** FLATNESS: (NOT INCLUDING BROOME FINISH 1M AND ABOVE UP TO 1000mm ±4mm PER 1M WIDTH

1mm IN 200mm UP TO A MAXIMUM OF 20mm

±5mm

Lee, Mia PEQ DOCUMENT #: WEIGHT: APPROX. 470Kg

## Infrastructure Products Australia

A CRH COMPANY

91 STRADBROKE STREET 1 REEVES COURT BREAKWATER, VIC 3219 HEATHWOOD, QLD 4110 1800 065 356 (07) 3714 0444

٦	DRAFTED DATE:	PART/PRODUCT #	QUOT	QUOTE # ORDER #			
	9/11/2023	50207426					
1	DRAFTED BY:	REINFORCEMENT COMPUTATION	PIT #	PIT # ITEM		1 TYPE	
		AP-EC-CRS66D-ENC 1000X1000	)X250				
1	DATE LAST SAVED:	CLIENT			•		
27/11/2023   INFRASTRUCTURE PRODUCTS AUS   PROJECT DESC							
	MLEE	CATALOGUE PRODUCTS					
1	<b>®</b> E3	DRAWING NAME REV.				REV.	
		ENCASEMENT SOLID 1000X1000X250 WITH 600X600 WITH TRANS NSW TAG COMM CLASS D				7	
1	DRAWN TO AS 1100 DO NOT SCALE FROM SHEET	50207426	1 / 1	A3	1:15		
)	( I KOM SHEET	2020/420	т/ т	H A3	1.13		

IN 1M LENGTH